


FLOATING CURSORS




PCUR022

DIMENSIONS
Diameter A = 32.8 mm
Diameter B = 13.5 mm
Diameter C = 23.9 mm
Thickness = 7.9 mm

MATERIAL
Aluminum

ENCLOSURES
N°8 Brass nuts M4
N°8 Brass washers D4
N°4 Brass screws M4x25




PCUR023

DIMENSIONS
Diameter A = 32.8 mm
Diameter B = 13.5 mm
Diameter C = 23.9 mm
Thickness = 7.9 mm

MATERIAL
Aluminum

ENCLOSURES
N°4 Brass nuts M4
N°4 Brass washers D4
N°2 Brass screws M4x25




PCUR024

DIMENSIONS
Diameter A = 25.4 mm
Diameter B = 13.5 mm
Thickness = 7.9 mm

MATERIAL
Aluminum


HEXAGON LOCK NUT



MODEL		FLA002	FLA003
Height A		CH 27	
Thread B		M 18 x 1.5	3/4" -16 UNF
Height C	mm	9	
Material		AISI 316 steel	

CONNECTORS


For versions IK1 B only 6-pin DIN 45322 output
Non-isolated



Connector extraction length 10 mm


CONNECTORS

for versions IK1 C only 8-pin DIN 45326 output
isolated



Connector extraction length 10 mm

FLOATING CURSORS FOR LIQUIDS




MODEL	PCUR026	PCUR027
Length A	mm	52.4
Diam. B (Hole)	mm	12
Diam. C	mm	42
Material	AISI 316 steel	

Note:

The supply for cursors PCUR026 and PCUR027 includes float stop kit PKIT036

FLOAT STOP PKIT036



DIMENSIONS

Diameter A = 22 mm
Diameter B = 10.5 mm
Diameter C = 7.2 mm
Thickness = 7.9 mm

MATERIAL

AISI 316 steel

ENCLOSURES

N°1 Washer AISI316 D3
N°1 Screw AISI316 M3x8

code: **MIM518**
code: **MIM849**

GEFRAN spa reserves the right to make any kind of design or functional modification at any moment without prior notice.

GEFRAN spa
via Sebina, 74
25050 PROVAGLIO D'ISEO (BS) - ITALIA
tel. 0309888.1 - fax. 0309839063
Internet: <http://www.gefran.com>
www.gefranonline.com

GEFRAN



IK ACC - 07/04